

State and Consumer Services Agency – Governor Edmund G. Brown Jr.

BOARD OF BARBERING AND COSMETOLOGY





RECOMMENDED BARBER SCHOOL EQUIPMENT CHECKLIST

	10 Mannequins, with full head of hair.
	1 Time clock.
	3 shampoo bowls (when the average daily attendance exceeds 15 students, additional bowls shall be added at the ratio of one for each 5 students in average daily attendance in excess of 15).
	15 Barber chairs – Chairs shall be spaced at least four and half (4 ½) feet from center to center (when the average daily attendance exceeds 15 students, additional chairs shall be added at the ratio of one for each student in average daily attendance in excess of 15). Total?
	Workstations – one workstand for each barber chair. Workstands having a wood surface shall be covered with a hard-based paint or some other nonabsorbent, washable material. Total?
	Wet Sterilizer – one for each barber chair for individual use of each student.
	2 Closed Receptacles – for each barber chair, one for disposal of used papers and the other for used linens.
	Classrooms – equipped with either armchairs suitable for students taking notes, or regular school desks.
Therm	nal Hair Straighteners 1 Electric curling iron
Text a □	nd Reference Books (each student shall possess) Textbook approved by the board (at least one)
	Board of Barbering and Cosmetology Act and Regulations (2009)
Other	Ventilation – System of adequate ventilation in accordance with the provisions of Section 705 of the Uniform Building Code of 1982, as referenced in Part 2, Chapter 7 of the matrix adoption tables, Title 24, California Code fo Regulations.
	Water – Schools shall supply of hot and cold running water shall be provided in accordance with Part 5, Section 1001(d)(3), Title 24, California Code of Regulations) and supply potable drinking water in accordance with Part 5, Section 1001 (d)(2), Title 24, California code of Regulations.
	Restroom – School shall provide public toilet rooms in accordance with Part 5, Sections 910(b), and 910(c), and Table No. C-1, Title 24, California Code of Regulations.
	Floors – Floors of barber colleges shall be covered with hardwood, linoleum, asphalt tile or some other washable and nonporous material other than paint in accordance with California Building Code Chapter 12, Interior Environment, Section 1252.1.
	Premises – Premises of colleges, the room for practical work and demonstrations shall be at least 14 feet (4267 mm) wide for 1 row of barber chairs and shall be at least 20 feet (6096 mm) wide for 2 rows of chairs in accordance with California Building Code Chapter 12, Interior Environment, Section1252.5.
How many students enrolled?	
How many Instructors?	
Inventory of Approved Textbooks to distribute to students?	
Inventory of Board Act and Regulations for distribution to students?	